



उज्जैन सहकारी दुग्ध संघ मर्यादित  
Ujjain Sahakari Dugdh Sangh Mydt.



(मध्यप्रदेश सहकारी सोसायटी अधिनियम 1960 के अधीन पंजीकृत)

मक्सी रोड़, पोस्ट बॉक्स 106, उज्जैन - 456001, मध्य प्रदेश  
Maxi Road, P.B. No. 106, Ujjain - 456001, Madhya Pradesh  
E-mail : udsmsis@yahoo.com

PAN No. AAAAU0051C

PHONE : 2527061, 2527068, 2527066 Fax. 0734-2527063

Tin No. 23692601126

क्रमांक  
No.

दिनांक  
Date

कय/उदुस/2019/

## ई-निविदा सूचना

उज्जैन सहकारी दुग्ध संघ मर्यादित उज्जैन द्वारा वर्ष 2020-21 हेतु पैकिंग मटेरियल,की ई-निविदा दिनांक 01.01.2020 से आमंत्रित की जाती है। ई निविदा कय की अंतिम दिनांक 21.01.2020 प्रातः 11:00 बजे तक एवं ई निविदा के खोलने की दिनांक 22.01.2020 दोपहर 03:00 बजे तक है। ऑनलाइन मध्यप्रदेश ई-प्रोक्योरमेंट की वेबसाइट ([www.mptenders.gov.in](http://www.mptenders.gov.in)) पर क्रय किया जा सकता है एवं भरा जा सकता है। निविदा प्रपत्र मध्यप्रदेश दुग्ध महासंघ की वेबसाइट ([www.mpcdf.gov.in](http://www.mpcdf.gov.in)) पर भी देखा एवं पढ़ा जा सकता है। समस्त अथवा कुछ निविदाओ को पूर्ण अथवा आशिक रूप से बिना कारण बताये निरस्त करने का अधिकार अधोहस्ताक्षरता को होगा।

मुख्य कार्यपालन अधिकारी

**UJJAIN SAHAKARI DUGDH SANGH MARYADIT  
UJJAIN 456010**

**DOCUMENT COST Rs. 500/-**

**TENDER FOR PURCHASE OF PACKING MATERIALS**

**TENDER DOCUMENT**

Schedule I	:	General Terms & Conditions.
Schedule II	:	Specification & Qty & EMD
Schedule III	:	Form A & B (To be downloaded filled manually & canned copy uploaded online.)
Schedule IV	:	Price Schedule
Tender Cost	:	Rs.500/-(Rupees Five hundred only)
Place of opening of Tender	:	Meeting Hall of The UJJAIN Sahakari Dugdha Sangh Maryadit, UJJAIN.
Address for Communication	:	The CEO, UJJAIN Sahakari Dugdha Sangh Maryadit, UJJAIN 456010

Tender Document Download/Sale Start Date		: 01-01-2020 Time 01:00 PM
Tender Document Download/Sale End Date		: 21-01-2020 Time 02:30 PM
Bid Submission Start Date		: 01-01-2020 Time 01:00 PM
Bid Submission End Date		: 21-01-2020 Time 02:30 PM
Bid Opening technical Date		: 22-01-2020 Time 03:00 PM
Place of opening of Tender		: Office of the Ujjain Sahakari Dugdha Sangh Maryadit, Ujjain.
Address for Communication		: The CEO, Ujjain Sahakari Dugdha Sangh Maryadit, Maxi Road, P.O.Box 106 Ujjain 456010.
EMD		665000=00 All Item

**CHIEF EXECUTIVE OFFICER**

**SCHEDULE - I**  
**General Terms & Conditions for tender submission & supply**

UJJAIN Sahakari Dugdha Sangh Mydt, UJJAIN (USDS), an ISO certified cooperative organization, invites sealed tenders from bonafide manufacturers and/ or their authorised dealers or other suppliers for supply of PACKING MATERIALS strictly in adherence to the detailed specifications given in the schedule II of the tender documents.

UJJAIN Sahakari Dugdha Sangh Mydt., UJJAIN reserves the right to accept or reject any or all tenders, which in their opinion justify such actions, without further explanation to the tenderers.

**1.0 DECLARATION :**

The submission of a tender by a tenderer implies that he/she has read the notice and conditions of the tender and the terms and conditions of contract and has made himself/herself aware of scope and specifications of the supplies to be made and the destination where the supplies have to be made and satisfied himself/herself regarding the quality and specifications of the articles.

**2.0 TENDER SUBMISSION:**

2.1 Only E&tender will be considered, However softcopy of required documents should positively be made available in the office of chief executive officer, Ujjain Sahakari Dugdh Snagh Maryadit , before opening of the Tender fairling which the E- Tender of such tender will not be considered.

2.2 The tenderer(s) should clearly state in their offer the address, telephone, fax, e-mail, PAN and GST Numbers. Any change in the address should immediately be communicated to the Chief Executive Officer, UJJAIN Sahakari Dugdha Sangh Mydt, UJJAIN and correspondence thereafter will be made at the changed address.

2.3 Negligence on the part of tenderer in filling the tender form offers him/her no right to withdraw the tender after it has been opened.

2.4 The acceptance of the tender and award of the purchase order will be the sole right of the Chief Executive Officer, UJJAIN Sah. Dugdha Sangh Mydt. who does not bind himself to accept a tender in whole or in part or reject any or all the tenders received without assigning any reasons and no explanation can be demanded of the cause of rejection of the tender by any tenderer.

2.5 The Chief Executive Officer, USDS reserves the right to place order for whole requirement with any tenderer or split the orders among one or more tenderers or not to purchase at all any item even after rate approval.

2.6 Each tender should be accompanied with copy of PAN, income tax clearance certificate, sales tax number and sales tax clearance certificate.

2.7 The tenderers should submit the rates online only. The conditional tenders are liable to be rejected.

2.8 No person or firm is permitted to submit more than one tender under different names.

2.9 The tenderer shall not sublet the contract or assign to any other party or parties, the whole or any portion of the contract without prior written permission of Chief Executive Officer, USDS.

2.10 Manufacturers will be given preference. Copy of license is to be attached with tender for each item filled in, wholesalers dealing with the item will have to attach copy of authorization certificate of the manufacturer.

2.11 Tenderer shall fill all the details of the unit in the enclosed form- A,B in schedule-III. Failing which the tender will not be considered for that consignment material, for which food grade certificate of is not attached

2.12 Before Printing of Packing Material the art work of each consignment to be approved.

### **Bid Validity**

Bid shall be valid for a period of 90 days from the date of opening.

### **Documents composing the Bid**

**Technical bid:** Technical documents/bid should reach physically in USDS, UJJAIN upto 3.00 pm of bid submission due date mentioned.

1. Technical bid (Form A&B) filled
2. Online EMD transaction acknowledgement
3. Tender document each page sealed and signed as token of acceptance to each and every terms and conditions.

### **Commercial Bid**

- Commercial Bid ONLINE only

### **Bid price**

Price indicated on the price schedule shall be inclusive of Service tax, pkg & frdg & freight.

GST (should be extra) The rates mentioned should be Basic . GST Amount should be mentioned separately.

(Example  $4.10 + 0.50 = 4.60$ ) Octroi duty if applicable at the destination

### **3.0 Earnest Money Deposit (As per Schedule-II)**

EMD should be submitted online only and copy thereof should be attached in proof of payment of EMD in Technical bid. All document submitted only online .

3.2 Any tender which is not accompanied by Earnest Money deposit are liable to be rejected. Earnest money deposit of unsuccessful tenderers will be returned within 90 days from the date of opening of the tender. The earnest money deposit of the successful tenderers will be released on completion of supply/work as the case may be within the stipulated period.

3.3 No interest will be paid on the earnest money for the period during which (the EMD) lies in deposit with UJJAIN Sahakari Dugdha Sangh.Maryadit.

- EMD may be forfeited :
  - If successful Bidder/supplier fails/denies to perform work
  - If any bidder/supplier withdraw its bid during the bid validity period

### **4.0 PRICES:**

Prices offered by the tenderers should be firm and free from all escalations and shall be valid at least for a period of 12 months from the date of approval of rates. USDS will have the right to extend the validity of the tender approval by 3 months. We would communicate our rate approval within 60 days of opening of tender. The tenderer should quote rate on FOR dairy plant, UJJAIN basis, GST shall be extra.

4.2 If need be, negotiations will be done for prices and as well as terms & conditions of material supply only with the party which offers the lowest rate.

### **5.0 MODE OF DESPATCH**

5.1 The material to be supplied by successful firm shall be dispatched to the dairy under prior intimation. Depending upon the type of material, the supplier shall have to carry out proper packing/crating to avoid damage during transit.

5.3 Wharfage /Demurrage etc. on account of incorrect or delayed dispatch of material/documents shall be the responsibility of supplier and shall be recovered from the bills.

**6.0 LIQUIDATED DAMAGES:**

6.1 Delivery date are fixed for supply of material they shall be strictly adhered too. In case they are not followed, or in case of delay in execution or non-execution of the order, the Dugdha Sangh reserves the right either to cancel the order and make alternative purchases from other sources, at the risk and cost & expenses of the defaulting supplier. In case the supplies are not affected as per the schedules, the liquidated damages may be charged on the goods not so delivered as under:-

Sl.No.	Duration of delay	Liquidated Damages
1.	Upto 15 days	1% cost of the unit.
2.	Between 16 to 30 days	2% cost of the unit
3.	Beyond 30 days	Upto 5% cost of the unit.

6.2 If the tenderer fails to make supply as per purchase order without any valid reason, the order would be treated as cancelled and the firm may be blacklisted for future dealings and EMD also would be forfeited by the management.

**7.0 INSURANCE:**

Insurance is to be arranged by the tenderer.

**8.0 INSPECTION:**

8.1 All the supplies are subject to inspection at our plant before acceptance. If goods are rejected due to defective or wrong supply, the report of our authorized official in this respect shall be FINAL and no correspondence on the subject would be entertained. The rejected goods should be removed from our premises by the tenderer within 15 days after receipt of our inspection report failing which the same shall be returned to the supplier at his risk and expenses or disposed off in Auction and the proceeds, if any, less expenses would be credited to tenderer's account.

8.2 Sample of the articles should be sent/produced before the competent authority if asked for within 7 days or as mutually agreed.

**9.0 PAYMENT**

9.1 The Payment shall be made after 30 days of the receipt, inspection and acceptance of materials in our stores, Such payments shall be made through RTGS Only.

**10. TERMINATION OF CONTRACT:**

If any act of commission or omission of a unit under contract brings UJJAIN Sah. Dugdha Sangh Mydt. to dispute, then UJJAIN Sahakari Dugdha Sangh Mydt. shall be competent to debar/blacklist the unit from further business.

**11.0 CONSEQUENCES OF BREACH OF AGREEMENT:**

If the tender after acceptance of tender commits breach of any of the conditions of the contract .

**12. DISPUTE ARBITRATION & FINAL AUTHORITY:**

12.1 It should be clearly understood that in the event of a successful tenderer failing to accept and execute the supply order, then decision of the Chief Executive Officer, UJJAIN Dugdha Sangh Mydt., in this respect will be final and binding on the successful tenderer.

12.2 For all matters of dispute, the decision of the Honourable Chairman, UJJAIN Sah. Dugdha Sangh Mydt. Under Arbitration and Conciliation Act. 1996 shall be final and binding on all the concerned.

12.3 For all disputes, the venue for legal course shall be at UJJAIN.

**12.4 Manufactures :-**

Manufacture have to submit certificate of conformity issued by NABL accredited Laboratory as per Food Regulation for Packaging Material which comes in direct contact with food or layers likely to come in contact with food to be use.

*Chief Executive Officer*  
*UJJAIN Sahakari Dugdha Sangh Mydt. UJJAIN*

@@@@@@@

नोट:— ई-निविदा ऑनलाईन से भरे वही मान्य की जावेगी एवं दर तथा जीएसटी पृथक पृथक दर्शावे। सफल निविदाकार की ईएमडी वर्क आर्डर जारी होने पर जमा ईएमडी ई-निविदा की प्रकिया द्वारा आपके खाते में आनलाईन द्वारा जमा हो जावेगी। जिसको आपको उज्जैन दुग्ध संघ में डीडी या आरटीजीएस के माध्यम से जमा करना अनिवार्य होगा।

## (Specification) For packing Materiel

Ceka Pack Ghee Refill 1000 MI Size

Specifacaton of CEKA Carton with printed Liner

### 1. Carton

- 1.1 Dimensions :- Length -102 mm, Width 70 mm, Height -168 mm  
Sealing Flap -44 mm
- 1.2 Paper Specification :- 400+/- 5% GSM ITC Khanna GPH' C or equivalent Grey  
Back Board
- 1.3 Lamination :- 13 Miron Customized Holographic Metalized Polyester Film
- 1.4 Printing :- Multi Color Full UV Printing
- 1.5 Artwork :- As per Sangh Artwork
- 1.6 Die Cutting :- As per Approved Engineering Drawing

### 2. LINER

- 2.1 Dimensions :- Width 365 mm, Height-275 mm, Sealing Joint -10-14mm
- 2.2 Specification :- 12 Micron METPET 75 Micron HDLD (30% Dowlex)/ Poly  
/HD-LE
- 2.3 GSM :- 90±5 GSM
- 2.4 Pasting :- Liner to be pasted inside the carton with equal overhang of 8  
mm from both sides
- 2.5 Printing :- Sanchi ON Liner

### 3. Pack Supply

- 3.1 Quantity :- Packing of 300 pcs neatly packed in a polybag placed inside a  
5 ply Corrugated Carton
- 3.2 Specification :- Shipper Box packing should be neatly labeled with critical  
information like supplier name & Address Product Name  
Packing Quantity, Dispatch, Date, Batch No, etc

### 4. Other Technical Requirement

- 4.1 Total Carton Weight Should be  $50 \pm 5$  grams
- 4.2 Paper used should have the proper grain direction and must be without any fungus rust, etc
- 4.3 Lamination should be joint and wrinkle free
- 4.4 Printing should be free from all defects including Registration , spots, Hickey, etc
- 4.5 Color shade should be matched as per approved shade card by the Sangh and must be  
within the tolerance of the Light, Standard & Dark Shades
- 4.6 Since the printing is on METPET surface, supplier should have in house UV Printing  
Machine & Dry Lamination Machine
- 4.7 For CEKA Cartons, supplier should have in hous Liner Pasting Machine
- 4.8 For CEKA Carons, the machine sealing temperature should be 150<sup>0</sup> C Ensure that  
Pressure in gentle so as it should not tear / Fracture the layers.
- 4.9 This refill packing is for “ Agmark “ quality dairy product. Hence, only Agmark approved  
printing companies are allowed to apply

Ceka Pack Ghee Refill 500 MI Size  
Specification of CEKA Carton with printed Liner

1. Carton

- 1.1 Dimensions :- Length -86 mm, Width 61 mm, Height -115 mm  
Sealing Flap -40 mm
- 1.2 Paper Specification :- 380+/- 5% GSM ITC Grey Back Board
- 1.3 Lamination :- 13 Miron Customized Holographic Metalized Polyester Film
- 1.4 Printing :- Five Color Full UV Printing with Drip Off UV Coating
- 1.5 Artwork :- As per Sangh Artwork
- 1.6 Die Cutting :- As per Approved Engineering Drawing

2. LINER

- 2.1 Dimensions :- Width 310 mm, Height-215 mm, Sealing Joint -10-14mm
- 2.2 Specification :- 12 Micron METPET 75 Micron HDLD (30% Dowlex)/ Poly /HD-LE
- 2.3 GSM :- 88+/-2% GSM
- 2.4 Pasting :- Liner to be pasted inside the carton with equal overhang of 10 mm from both sides
- 2.5 Printing :- Sanchi ON Liner

3. Pack Supply

- 3.1 Quantity :- Packing of 500 pcs neatly packed in a polybag placed inside a 5 ply Corrugated Carton
- 3.2 Specification :- Shipper Box packing should be neatly labeled with critical information like supplier name & Address Product Name Packing Quantity, Dispatch, Date, Batch No, etc

4. Other Technical Requirement

- 4.1 Total Carton Weight Should be 28 +/- 5 grams
- 4.2 Paper used should have the proper grain direction and must be without any fungus rust, etc
- 4.3 Lamination should be joint and wrinkle free
- 4.4 Printing should be free from all defects including Registration , spots, Hickey, etc
- 4.5 Color shade should be matched as per approved shade card by the Sangh and must be within the tolerance of the Light, Standard & Dark Shades
- 4.6 Since the printing is on METPET surface, supplier should have in house UV Printing Machine & Dry Lamination Machine
- 4.7 For CEKA Cartons, supplier should have in house Liner Pasting Machine
- 4.8 For CEKA Carons, the machine sealing temperature should be 150<sup>0</sup> C Ensure that Pressure in gentle so as it should not tear / Fracture the layers.
- 4.9 This refill packing is for “ Agmark “ quality dairy product. Hence, only Agmark approved printing companies are allowed to apply

Ceka Pack Ghee Refill 200 MI Size  
Specifacaton of CEKA Carton with printed Liner

1. Carton

- 1.1 Dimensions :- Length -72 mm, Width 42 mm, Height -86 mm  
Sealing Flap -30 mm
- 1.2 Paper Specification :- 360+/- 5% GSM ITC Grey Back Board
- 1.3 Lamination :- 13 Miron Customized Holographic Metalized Polyester Film
- 1.4 Printing :- Five Color Full UV Printing with Drip Off UV Coating
- 1.5 Artwork :- As per Sangh Artwork
- 1.6 Die Cutting :- As per Approved Engineering Drawing

2. LINER

- 2.1 Dimensions :- Width 240 mm, Height-160 mm, Sealing Joint -10-14mm
- 2.2 Specification :- 12 Micron METPET 75 Micron HDLD (30% Dowlex)/ Poly /HD-LE
- 2.3 GSM :- 88+/-2% GSM
- 2.4 Pasting :- Liner to be pasted inside the carton with equal overhang of 3 mm from both sides
- 2.5 Printing :- Sanchi ON Liner

3. Pack Supply

- 3.1 Quantity :- Packing of 800 pcs neatly packed in a polybag placed inside a 5 ply Corrugated Carton
- 3.2 Specification :- Shipper Box packing should be neatly labeled with critical information like supplier name & Address Product Name Packing Quantity, Dispatch, Date, Batch No, etc

4. Other Technical Requirement

- a. Total Carton Weight Should be 46 +/- 2 grams
- b. Paper used should have the proper grain direction and must be without any fungus rust, etc
- c. Lamination should be joint and wrinkle free
- d. Printing should be free from all defects including Registration , spots, Hickey, etc
- e. Color shade should be matched as per approved shade card by the Sangh and must be within the tolerance of the Light, Standard & Dark Shades
- f. Since the printing is on METPET surface, supplier should have in house UV Printing Machine & Dry Lamination Machine
- g. For CEKA Cartons, supplier should have in hous Liner Pasting Machine
- h. For CEKA Carons, the machine sealing temperature should be 150<sup>0</sup> C Ensure that Pressure in gentle so as it should not tear / Fracture the layers.
- i. This refill packing is for “ Agmark “ quality dairy product. Hence, only Agmark approved printing companies are allowed to apply

Product Specification for mono pack ghee refill 200 MI Size  
Specification of mono carton

**1. Carton**

- 1.1 Dimensions :- Length -72 mm, Width 42 mm, Height -86 mm  
Sealing Flap -30 mm
- 1.2 Paper Specification :- 360+/- 5% GSM ITC Grey Back Board
- 1.3 Lamination :- 13 Miron Customized Holographic Metalized Polyester Film
- 1.4 Printing :- Five Color Full UV Printing with Drip Off UV Coating
- 1.5 Artwork :- As per Sangh Artwork
- 1.6 Die Cutting :- As per Approved Engineering Drawing

**2. Pack Supply**

- 2.1 Quantity :- Packing of 1200 pcs neatly packed in a polybag placed inside a 5 ply Corrugated Carton
- 2.2 Specification :- Shipper Box packing should be neatly labeled with critical information like supplier name & Address Product Name Packing Quantity, Dispatch, Date, Batch No, etc
- 2.3 Printing :- Packing Quantity , Dispatch Date, Batch No, etc

**3. Other Technical Requirement**

- 3.1 Total Carton Weight Should be 12.5 +/- 2 grams
- 3.2 Paper used should have the proper grain direction and must be without any fungus rust, etc
- 3.3 Lamination should be joint and wrinkle free
- 3.4 Printing should be free from all defects including Registration , spots, Hickey, etc
- 3.5 Color shade should be matched as per approved shade card by the Sangh and must be within the tolerance of the Light, Standard & Dark Shades
- 3.6 Since the printing is on METPET surface, supplier should have in house UV Printing Machine & Dry Lamination Machine
- 3.7 This refill packing is for “ Agmark “ quality dairy product. Hence, only Agmark approved printing companies are allowed to apply

**OTHER REQUIREMENTS FOR CORRUGATED BOXES:**

- (i) Purchase order will be given only after approved of sample provided by supplier.
- (ii) Creasing, Scoring, folding the boxes should be creased and scored such that folding is appropriate and symmetrical.

**1 ltr Sanchi Corrugated box**

Internal dia mention in MM	410x300x170
(16x1 ltr)No off	3 Ply
GSM per ply	150±5%
Bursting Strength	10 kg/Sq.CM.

**500 ml sanchi corrugated box**

Internal dia mention in Mm	345x250x235
(32x500 ml) no of ply	03 ply
Bursting Strength	10 kg/Sq.Cm

**200 ml Sanchi Ghee Corrugated box**

Internal dia mention in MM	450x190x380
No of	3 ply
GSM per ply	150±5%
Burstin strength	10 kg/Sq.CM

**100 ML Sanchi Ghee Corrugated box**

Internal dia Mention in MM	03 Ply
GSM per ply	455x380x218 mm
Burstin strength	150±5%
	10 kg /sq.cm

**25 kg white butter Box Single Color**

Internal dia mention in MM	03
No. of Ply	500x285x220
GSm per ply	150+ 5%
Bursting Strength	11 kg/sq.cm

**Lassi Glass Corrugated Box with center Plate Single Color**

Internal dia mention in MM (20x200 ml)	03
No. of Ply	445x165x185 mm
GSm per ply	150+ 5%
Bursting Strength	10 kg/sq.cm

**Shrikhand Cups Corrugated Box center Plate**  
**Amrakhand cup 100 gr. Chenna rubdi cup 100 gr**  
**Curd cup 100 grm Corrugated box**

Single Color Internal dia mention in MM (20x100 gr)

No. of Ply

03

GSm per ply

Bursting Strength

400x165x85 mm

Size

150+ 5%

10 kg/sq.cm

**25 kg Mawa Box Single Color**

No of Ply

03

Internal dia mention in MM

500x285x220

GSM per ply

150+5%

Bursting Strength

11 kg/sq.cm

**25 kg Peda Box Single Color**

No of Ply

03

Internal dia mention in MM

500x285x220

GSM per ply

150+5%

Bursting Strength

11 kg/sq.cm

PP Bottle Traycenter Plate

Internal Dia Mention In Mm

No of Ply

03

GSM per Ply

Single color

Bursting Strength

325x215x60MM

150+ 5%

6 kg/sq.cm

**Shrikhand Cups 100 grm, Amrakhand cup 100 gr, Chena Rubdi Cup 100 gr**

Material	PP white colour
Total Height	50+ 1mm
Mouth Dia OD	80 mm
Neck (of cup)OD	71 mm
CollerWidth	5 mm (width of cup edge)
Bottom dia OD	50 mm
Weight of cup	5.0 + 0.2 g
Full Capacity	118 gm

**Curd Cup 100 gm**

Material	PP white colour
Total Height	50+ 1mm
Mouth Dia OD	80 mm
Neck (of cup)OD	71 mm
CollerWidth	5 mm (width of cup edge)
Bottom dia OD	50 mm
Weight of cup	5.0 + 0.2 g
Full Capacity	118 gm

**Bopp Tape (Gum Tape )1'' & 2''**

	65 mts
Length	50.8mm and 25 mm
Width	25 Micron
Thickness	Ujjain Sahakari dugdh sangh at every meter with logo.
Printed	

**Lassi Glass 200 ML**

Material PP (polypropylene)	
Total Height	89+1 mm
Mouth Dia OD	<b>80 mm</b>
Neck (of glass OD)	71 mm
Coller width (width of glass edge)	5mm
Bottom dia OD	47mm



## ALLUMINIUM FOIL

Diameter 82 mm  
 Foil Thickness 40 Micron

Suitable for sealing cup and glass

Material must be of food grade quality Printing in one colour and as per USDSM Art work.

### Peda Box 35 gm

**Type of paper** Cyber excel from I.T.C. Mill With  
 aqua varnish coating white broad

**Printing and lamination** As per provided design of sangh

**GSM** 300±/5%

**Dimension Top Box** 80x20x40 mm

L W H

## PEDA DUPLEX BOXS 250 GM.

### GENERAL CONDITIONS:

All the boxes shall be clean, dry and free from fungus, insect infection, dust etc. Extra care should be taken for maintenance of cleanliness and delivery of boxes in the diary in most hygienic conditions.

### TECHNICAL - Norms:

**Material:** Duplex box sheet made of Food Grade I.T.C. cyber Excel. Material

**G.S.M. :** 370 ±5 %

**Lamination:** Lamination proper and food - grade on complete inner side and outside of box.

**Type of Box:** Two piece box as per our existing 1 kg sample.

**Printing:** As per approved design and colour of MPCDF on top piece of the box.

L W H

**Dimension: Top of Box** - I.D. (mm) 110 x 78 x 45

**Bottom of Box-** I.D. (mm) 109 x 76 x 45

### Peda duplex boxes 500 gm

### GENERAL CONDITIONS:

All the boxes shall be clean, dry and free from fungus, insect infection, dust etc. Extra care should be taken for maintenance of cleanliness and delivery of boxes in the diary in most hygienic conditions.

### TECHNICAL - Norms:

**Material :** Duplex box sheet made of Food Grade I.T.C. cyber Excel. Material

**G.S.M. :** 370 ±5 %

**Lamination:** Lamination proper and food - grade on complete inner side and outside of box.

**Type of Box:** Two piece box as per our existing 1 kg sample.

**Printing:** As per approved design and colour of MPCDF on top piece of the box.

- |  | L   | W     | H    |
|--|-----|-------|------|
| - <b>Dimension: Top of Box</b> - I.D. (mm) | 171 | x 115 | x 40 |
| <b>Bottom of Box-</b> I.D. (mm)            | 166 | x 112 | x 40 |

**Peda duplex boxes 1000 gm (1 Kg.)**  
**Two Piece boxes with top & bottom**

**GENERAL CONDITIONS:**

All the boxes shall be clean, dry and free from fungus, insect infection, dust etc. Extra care should be taken for maintenance of cleanliness and delivery of boxes in the diary in most hygienic conditions.

**TECHNICAL - Norms:**

**Material :** Duplex box sheet made of Food Grade I.T.C. cyber Excel. Material

**G.S.M. :** 370 ±5 %

**Lamination:** Lamination proper and food - grade on complete inner side and outside of box.

**Type of Box:** Two piece box as per our existing 1 kg sample.

**Printing:** As per approved design and colour of MPCDF on top piece of the box.

- |  | L   | W     | H    |
|--|-----|-------|------|
| - <b>Dimension: Top of Box</b> - I.D. (mm) | 260 | x 150 | x 40 |
| <b>Bottom of Box-</b> I.D. (mm)            | 258 | x 148 | x 40 |

**Milk Cake boxes 500 gm**

**GENERAL CONDITIONS:**

All the boxes shall be clean, dry and free from fungus, insect infection, dust etc. Extra care should be taken for maintenance of cleanliness and delivery of boxes in the diary in most hygienic conditions.

**TECHNICAL - Norms:**

**Material :** Duplex box sheet made of Food Grade I.T.C. cyber Excel. Material

**G.S.M. :** 370 ±5 %

**Lamination:** Lamination proper and food - grade on complete inner side and outside of box.

**Type of Box:** Two piece box as per our existing 1 kg sample.

**Printing:** As per approved design and colour of MPCDF on top piece of the box.

- |  | L   | W     | H    |
|--|-----|-------|------|
| - <b>Dimension: Top of Box</b> - I.D. (mm) | 177 | x 117 | x 40 |
| <b>Bottom of Box-</b> I.D. (mm)            | 175 | x 115 | x 40 |

**MILK CAKE BOXS 250 GM.**

**GENERAL CONDITIONS:**

All the boxes shall be clean, dry and free from fungus, insect infection, dust etc. Extra care should be taken for maintenance of cleanliness and delivery of boxes in the diary in most hygienic conditions.

**TECHNICAL - Norms:**

**Material:** Duplex box sheet made of Food Grade I.T.C. cyber Excel. Material

**G.S.M. :** 320 ±5 %

**Lamination:** Lamination proper and food - grade on complete inner side and outside of box.

**Type of Box:** Two piece box as per our existing 1 kg sample.

**Printing:** As per approved design and colour of MPCDF on top piece of the box.

		L	W	H
-	<b>Dimension:</b>	<b>Top of Box</b>	- I.D. (mm)	110 x 78 x 45
		<b>Bottom of Box-</b>	I.D. (mm)	109 x 76 x 45

### **MILK CAKE BOXS 1 KG**

#### **GENERAL CONDITIONS:**

All the boxes shall be clean, dry and free from fungus, insect infection, dust etc. Extra care should be taken for maintenance of cleanliness and delivery of boxes in the diary in most hygienic conditions.

#### **TECHNICAL - Norms:**

**Material:** Duplex box sheet made of Food Grade I.T.C. cyber Excel. Material

**G.S.M. :** 370 ±5 %

**Lamination:** Lamination proper and food - grade on complete inner side and outside of box.

**Type of Box:** Two piece box as per our existing 1 kg sample.

**Printing:** As per approved design and colour of MPCDF on top piece of the box.

		L	W	H
-	<b>Dimension:</b>	<b>Top of Box</b>	- I.D. (mm)	260 x 160 x 40
		<b>Bottom of Box-</b>	I.D. (mm)	258 x 148 x 40

**FOR 40 X 500 GMS MAWA BOX:**

Internal dia mention in mm	:	425x315x185
No. of Ply	:	03
GSM per Ply	:	150 ±5%
BS	:	11 Kg/Sq. mm
Printing	:	Single colour

**- PRINTED POUCH FOR PANEER 250 GMS & 1 KG.**

(i) Suitable for	:	Vaccum packing of panner				
(ii) Size	:	Width x height	Thickness	Stouctwe 3 layer		
				Pet	Met Pet	LD
250 gms		150 x 180	75-80 micron	12	12	50
1 KG		240 x 270	75-80 micron	12	12	50

(iii) Printing as per USDSM design and multicolour art work.

(iv) Material must be of food grade quality. Barcode 250gr 8906069961103

500 gr 8906069961097

**PRINTED POUCH FOR PANEER 500 GMS**

(i) Suitable for	:	Vaccum packing of panner				
(ii) Size	:	Width x height	Thickness	Pet	Metpet	LD
500 gms		180x250	75-80 micron	12	12	50

(iii) Printing as per USDSM design and multicolour art work.

(v) Material must be of food grade quality.

**Printed pouch for paneer 5 kg**

(I)	Suitable for	Vaccum packing of paneer	pet	Metpet	LD
(II)	Size	widthxheight	thickness		
		300x450mm	100 Micron	12 12	120

**Milk Pouch Crete**

Specification HDPE Pouch Crate.

Suitable to hold 24 nos 500 ml milk pouches.

The crate shall be made from food grade HDPE granules and rectangular in shape having following diameter.

Outer	Length (mm)	Breadth (mm)	Height (mm)
	465±2	370±2	175±2
Inner	452±2	338±2	160±2

Height of partition 124mm

Weight – Mass of the crate 1.5 kg (minimum)

Appearance an surface finish the surface of crate should be smooth finish and free from sharpe- X edges.

Strength – The crate shall pas drop test at low temperature e g 5 c.and below and ambient temp as per IS 11584.

Screen Printing :- As per Artwork

Note Supplier should provide food grade certificate.

**Plastic Pallets:-**

- Length 1200 mm
- Width 1000 mm
- Height 160mm
- Pallet weight 16 kg+/-4%kg
- Manufacturing single shot injection molded (no welding/No pasting(HDPE))
- Poly propylene pp
- Size 1200 mm L x 1000 mm W x 160 mm H approx.
- Colour Blue Colour
- Injection Molded HDPE Perforated Deck, 3 Runners
- Non reversible 4 ways
- Suitable to handle with all king of material handling equipments.
- Uniformly distributed load
- Load bearing static 4000 kg dynamic 1000 kg

**HEAT SHRINKABLE FILM\* FOR FLAVOURED MILK BOTTLES**

<b>Material</b>	<b>LDPE</b>
<b>Printing</b>	<b>Transparent Film (Plain)</b>
<b>Length</b>	<b>108 mm±0.5mm</b>
<b>Width</b>	<b>86.5mm±0.5mm</b>
<b>Sealing</b>	<b>Double Sealing</b>
<b>Thickness</b>	<b>50 micron</b>

- नारियल बर्फी 500 ग्राम

(As per BDS).

Dimension

TOP 206x 140 x 38 mm

Bottom 204 x 138 x38mm

GSM 370 ± 5%

Lamination :- Prope & food grade on Complete

Inner side outer side of box

Type g box & Two piece box

- नारियल बर्फी 250 ग्राम

(As per BDS).

Dimension

TOP 108x 80 x 45 mm

Bottom 106 x 78 x45mm

GSM 370 ± 5%

Lamination :- Propes & food grade on complete

Inner side outer side of box

Type g box & Two piece box

- गुलाब जामुन मिक्स पाउच 200 ग्राम

Size width 138 mm

Heght 200 mm

Thicknes 95 Micron

Pouch should be food grade quality

- **Duplex sanchi ghee 100 ml**

	L	W	H
Size	110x35x50		
GSM	300±5%		
B.S.	7-8 kg /sqcm		
C B 3 ply 100 ml sanchi ghee 100 ml			
Internal dia	455x380x218mm		
No of ply	03 ply		
B.S.	10 kg /sqcm		

- **SPECIFICATION OF PVC SHRINK SLEEVES(40 Micron) IN ROLL FORM**

Material	:	50 micron PVC Shrink Sleeves in Roll Form For our Flavoured Milk PP Bottles
Size of Sleeves Obtained from Rolls	:	Layflat 86mm,Cut length 108 mm,Micron 50 , Coil with open width mm 180 (approx.)
Design	:	As per approved Art Work of Ujjain Sah, Dugdh Sangh
Shrinkage	:	Machine Direction 52-58%, Vertical Direction 4-6%

Note :- 1. We will provide Art Work of our 6 Products, each product has 8 to 9 colours in art work.

2. Tenderer has to modify size of art work as per Roll size .

3. Tenderer may collect/ inspect our PP bottle for appropriate size of shrink sleeves in roll form.

3. Shrink sleeves print with Barcode No

**SCHEDULE - II**  
**(A) SPECIFICATION OF SMP BAGS (25 KG PACK)**

Material	:	80 GSM Craft Paper Laminated to HDPE Fabric with LDPE Lamination with Kraft Paper. Bag with gusseted and bottom stitched size
HDPE FABRIC Mesh	:	10x10 Mesh
Size	:	Size 101.5 x 49.5 cm $\pm$ 5.0 cm
GSM-LDPE	:	100 gm/m <sup>2</sup>
GSM-Kraft Paper	:	080 $\pm$ 5%
Design	:	As per approved design of USDSM
Stitching	:	Two plies Nylon thread double stitched through 100gsm crape paper.

**(B) SPECIFICATION OF SMP LINER (25 KG PACKING)**

**Material** : The bag shall be made from virgin Endothene LDPE Granules of IPCL grade FY 005 or equivalent with food grade requirements IS 1014- 1982 and IS :10146-1982.The film should be uniform in thickness throughout without any unevenness in its body.

**Dimensions** : 44''x21''

**Weight** : 100g  $\pm$ 5%

**Thickness of film** : 100 Micron $\pm$  5micron

Stitch width : 27 mm

**Sealing** : Preferably double sealing , sealing should be continuous without any pin holes. Sealing of bag to be tested by filling the bag with water. Bag should pass the test.

**Other requirement** :Supplier must submit a certificate regarding food Grade material used in the production of SMP Liner.

-----X-----

**SCHEDULE –II**  
**:SPECIFICATIONS:**

1.	Wettability of powder flavour	:	1 minute Max.
2.	Sensory evaluation	:	(a) Texture – granular. (b) Free from impurities.
			(c) Appearance – In accordance to flavour.
	Flavour	:	Should be pleasant & nature Identical
4.	Colour in 01% m/v	:	(a)Chocolate(Brown)- E 102, E 110
	(Permissible under fssai)		E 122, E 132, E 133
			(b) Rose (Pink/ Red)-Ponceau 4R (E 124)
			(c) Cardamom (Green) E 102, E 133
5.	Microbiological Parameter	:	Under the prescribed max. limit of FSSAI

**PRINTED POUCH FOR PANEER 05 KG.**

- (i) Suitable for : Vaccum packing of panner
- (ii) Size :Width x height Thickness Stouctwe 3 layer  
Pet Met Pet LD  
5 KG 300 x 450 75-80 micron 12 12 50

(iii) Printing as per USDSM design and multicolour art work.

(iv) Material must be of food grade quality.

(V )Material is not supply as per tender specification proportional deduction shall be made.

**SPECIFICATION FOR 15 KGS GHEE TINS ( IS : 10325 : 1982)**

S.No	Particulars	Specification details						
1	Capacity	The gross capacity of Tins measured with water filled at 27 °C + 2°C shall not be less than 17.5 ltr.						
2	Material	Tin shall be made from 0.28 mm thick tin plate.						
3	Lacquered	The Tin shall be lacquered by food lacquered from inside including top and bottom.						
4	Dimension	<table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">Length</td> <td style="text-align: center;">Width</td> <td style="text-align: center;">Height</td> </tr> <tr> <td style="text-align: center;">237mm <math>\pm</math> 3</td> <td style="text-align: center;">237mm <math>\pm</math> 3</td> <td style="text-align: center;">325 mm <math>\pm</math> 5</td> </tr> </table>	Length	Width	Height	237mm $\pm$ 3	237mm $\pm$ 3	325 mm $\pm$ 5
Length	Width	Height						
237mm $\pm$ 3	237mm $\pm$ 3	325 mm $\pm$ 5						
5	Weight	905 gram + 5 gm						
6	Test of Lacquer	Shall pass 5% Copper Sulphate Test						
7	Handle	Handle shall be made from Galvanized Iron wire of not less than 3.5 mm thickness.						
8	Mouth Dia	Mouth dia of the tin shell be 58 m.m. collar of mouth- 8m.m						
9	Other requirement	The tin must pass, air pressure test for leakage, Handle pull test for handles. The tin shall be new						

		and in clean condition, free from traces of rust or any foreign matter, and odor free, having even Lacquering throughout.
10	Remark	The tins not conforming to above specification shall be rejected and sent to supplier at his cost And risk. The Tin should be of single joint.
11		Mouth covered with paper

**10. Specification for 5 kg Sanchi Ghee tin lacquered**

Dimensions Length - 165 mm, Width - 165 mm, Height - 237 mm, Weight of tin 380 gm ± 5 gm.

All tins should be lacquered inside (food grade)

Thickness of sheet 0.28 mm

Each component shall be made from a single piece of tin plate.

Handle – made of GI

Mouth covered with paper.

Material is not supply as per tender specification proportional deduction shall be made.

Specification /Make

टेंकर सील मेटलिक

Length for (A)	93±2 mm
Length for (B)	36±1 mm
Diameter for (C)	19.5±1 mm
Diameter I D for (D)	08±1 mm
Diameter for (E)	10±1 mm
Diameter for (F)	07±1 mm
Length for (G)	19±1 mm
Please see attached drawing for (ABCDEFG)	
Metal	High grade steel
Plastic	ABS
Type	Anti- spin
Marking	Unique marking of seal no with manufacturer name / logo on both parts
Shear test	Load to failure (3.336 kn ) High security (As per ISO 17712:2013)
(ii) Bending Moment to failure	Minimum 50 nm3 (As per ISO 17712:2013)
Tensile Test	Load to failure (10.0 kn a) High security (As per ISO 17712:2013)
Impact Test	Load to failure (40.68 kn a) High security (As per ISO 17712:2013)
Testing	Testing by NABL certified LAB

## STANDARD TECHNICAL SPECIFICATIONS For Poly Propylene Bottles, Multilayer Wads and Caps .

### **(1)Poly Propylene Bottles for Packaging of Flavoured Milk 200 ML for sterilisation**

#### **SALIENT FEATURES & TECHNICAL SPECIFICATIONS :**

- Bottle Should be made of Poly propylene and essentials to withstand temperature and pressure combination of

121 degree celcius and 2.2 Kg/ sq.cm on Aquaclave (retort) Sterilization process .

- It should have capacity to fill 200ml of flavoured milk upto it's neck and rest for breathing space .

- Weight of each bottle should have 15.0±0.2gms.

- Body diameter in mm 52.0±0.21, Neck OD in mm 37.5±0.25 ,Neck ID in mm 32.0±0.21 top

load in kgs. 5kgs minimum ,average wall thickness in mm should be 0.5mm.

- Height should be 143.5±1mm and total volume(over flow capacity) should be 220.0±4ml and fill

point capacity should be 200ml .

- Rest as per drawing and specification attached in tender form .

- The Dimensions tolerance should be as per ASB standards.

tolerance .

- Neck Diameter ,Bottom Diameter and other diameters and dimensions should be as per

specification given in drawing .

Top loud (in kgs)5.0 minimum

## **(2) Poly Propylene Bottles Caps for 200 ML Bottles**

### **SALIENT FEATURES & TECHNICAL SPECIFICATIONS :**

➤ Bottle caps Should be made of Poly propylene and essentials to withstand temperature and pressure combination

of 121 degree celcius and 2. Kg/ sq.cm on Aquaclave (retort) Sterilization process .

➤ Weight of each Cap should have  $3.0 \pm 0.5$ gms.

➤ Height should be  $13.16 \pm 0.3$ mm .

➤ Thread Id should be  $36.5 \pm .3$ mm ,cap ID  $38.2 \pm .3$ mm , cap OD  $41.0 \pm 0.3$  depth 1 in mm

$11.2 \pm .2$  and depth 2 in mm should be  $11.70 \pm .2$  . color White.

➤ Rest as per drawing and specification attached in tender form .

**Note:-** Tenderers may obtain samples of Caps from Ujjain Sahakari Dugdh Sangh Dairy Plant, Ujjain for

Confirmation of Specifications.

## **(3) Wad for 200 ML Poly Propylene Bottles/Caps**

➤ WAD should be made of 5 layer polyester laminated polyolefine foam and essentials to withstand temperature and

pressure combination of 120 degree celcius and 2 Kg/ sq.cm on Aquaclave (retort) Sterilization process when

sealed on 200ml PP Bottles .

➤ Diameter should be 37.70mm and thickness should be  $0.25 \pm .02$ mm .

➤ For peeling off one tab 8 mm should be there .

➤ Wad can be inserted in cap comfortably .

➤ Rest as per drawing and specification attached in tender form .

QUALITY PARAMETERS( FSSAI/BIS STANDARDS)

3.1 SPECIFICATIONS OF VITAMIN A AND D2 PREMIX

The following are the revised FSSAI standards for fortification, 2018:

Packing Size: 100g, 200g, 500g

Rate of Addition: 1000g per of premix per 50000 ltrs of Milk

Storage: Store in dark, dry and cool place. Do not expose to sunlight after opening seal, entire content should be used.

Shelf Life: 12 months from date of manufacture

SCHEDULE – II

S.No	Nutrients	Level of nutrient per liter of toned/double toned/skimmed milk/ standardized milk	Source of nutrients
1	Vitamin A	270µg RE –450 µg RE	Retinyl acetate or Retinyl palmitate
2	Vitamin D	5µg -7.5µg *Cholecalciferol or *Ergocalciferol (*Only from plant source)	

Note: Vitamin A (retinol): 1IU= 0.3 µg RE (Retinol Equivalent); Vitamin D (Cholecalciferol or Ergocalciferol): 1IU= 0.025µg

Nutrients	Standards for Milk fortification	Final Product Label Claim	Target values
Vitamin A	270µg RE –450 µg RE	>270 µg RE	405 µg RE (@50% overages)
Vitamin D	5µg -7.5µg	>5µg	7.5 µg (addition at max values)

Product: Water Soluble Vitamin A & D2 Premix for Milk Fortification

Ingredients: Vitamin A- Retinyl acetate, Retinyl palmitate and Retinyl propionate; Vitamin D – Cholecalciferol, Ergocalciferol and demineralized water

SN.	Parameters	MOA	Specification
1.	Appearance	IH*	Clear oily liquid
2.	Colour	IH	Yellow to pale orange yellow
3.	Odour	IH	Typically faint
4.	Vitamin A	IP	Min- 67.5 MIU/kg  (Target at 405µg RE with 50% overages)
5.	Vitamin D	IP	Min= 15.00 MIU/kg (Target at 7.5µg, addition at maximum values)
6.	Total aerobic viable count	ISO/AOAC	<1000 cfu/g
7.	Yeast	ISO/ AOAC	<10 cfu/g
8.	Mould	ISO/ AOAC	<100 cfu/g
9.	Salmonella Spp.	ISO/AOAC	Negative in 25g
10.	Enterobacteria	ISO / AOAC	Negative in 1g

Vitamin AD Premix for Powdered Milk  
Specifications

Description	Off white coloured powder
Odour	Characteristic odour
Identification	Should pass tests for Vitamin A and Vitamin D.
Rate of Addition	200.00g premix per 1000kg of product
Ingredients	Vitamin A and D2 (Plant source only)
Label claim per 200.00 g of premix	Vitamin A (As Vitamin A Palmitate 250 CWS) Not less than 12.5 MIU Vitamin D (As Ergocalciferol crystals) Not less than 3.0 MIU

Supply Conditions

1. Conforming to FSSAI standards.
2. The AT holder must supply the Premix for Milk Fortification and other items of stores as per the standards of quality mentioned & respective pharmacopoeia.
3. It shall be the responsibility of the supplier for any shortage/ damage/ breakages at the time of receipt at the designated places.

The Bottles of PET or PETE polyethylene terephthalate, listed as number 1 inside the recycling triangle diagram, commonly used for milk bottles, some juice containers of 100g, 200g and 500g. Further, the following details of month and year of packing in the space provided below name and address of the supplier in the following format is also to be printed by the Bidder themselves.

- i. Name and address of the supplier.
- ii. Best before use 12 months.
- iii. FSSAI specification for Milk fortification
- iv. FSSAI LICENSE Number
- v. Net Wt.
- vi. Date of Packing
- vii. Batch No.

TERMS AND CONDITIONS OF DELIVERY.

All information as per standards of Weights & Measures Act, 1976 & the Standards of Weights & Measures (Packaged Commodities) Rules, 1977 and Food Safety & Standards Act, 2006 and Regulations there under, must be mentioned on each bottle e.g. name and full address of the supplier / Packer, Name of the commodity, gross weight, net weight, month & year of packing of the commodity.

The supplier shall submit the following documents giving delivery of the consignment.

- a) Commercial Invoice
- b) Certificate of Analysis for the batch delivered
- c) 3<sup>rd</sup> party NABL Testing Report


S	Description	Qty.	Rate Per Unit	GST Rate	EMD	EMD Remittance Details
No		Reguired	(For Ujjain Dairy Plant)			
01	सीकापेक साँची घी 1 लीटर बॉक्स	650000 no			100000=00	
02	सीकापेक 1/2 लीटर बॉक्स	500000 no				
03	साँची घी 200 एमएल डुप्लेक्स	400000			6000=00	
04	साँची घी 100 एमएल डुप्लेक्स	200000			2000=00	
05	1 लीटर साँची घी कोरोगेटेड बॉक्स	40000				
06	1/2 लीटर साँची घी कोरोगेटेड बॉक्स	240000				
07	साँची घी 200 एमएल कोरोगेटेड बॉक्स	5000				
08	साँची घी 100 एमएल कोरोगेटेड बॉक्स	5000			90000=00	
09	प्लेन बटर कोरोगेटेड बॉक्स 25 केजी	45000				
10	लस्सी ग्लास 200 एमएल कोरोगेटेड बॉक्स	37000				
11	श्री खण्ड कप 100 ग्राम कोरोगेटेड बॉक्स	23000				
12	छेना रबडी कप कोरोगेटेड बॉक्स	10000				
13	आम्रखण्ड कप कोरोगेटेड बॉक्स	10000				
14	पीपी बाटल ट्रे	42000				
15	गमटेप रोल 01 इंच पीवीसी	6500			6000=00	
16	गम टेप रोल 02 इंच पीवीसी	5000				
17	लस्सी ग्लास 200 एमएल	700000			60000=00	
18	श्रीखण्ड कप 100 ग्राम कप	400000				
19	आम्रखण्ड कप	400000				
20	छेना रबडी कप 100 ग्राम	200000				
21	दही कप 100 ग्राम	500000				
22	एल्युमिनियम फाईल	2000000			20000=00	

23	पेडा बॉक्स 1000 ग्राम	4000			40000=00	
24	पेडा बॉक्स 500 ग्राम	20000				
25	पेडा बॉक्स 250 ग्राम	30000				
26	पेडा बॉक्स 35 ग्राम (2 पेडे वाले)	400000				
27	मिल्क केक बॉक्स 1 केजी बॉक्स	4000				
28	मिल्क केक 500 ग्राम बॉक्स	5000				
29	मिल्क केक 250 ग्राम बॉक्स	10000				
30	मावा बॉक्स 500 ग्राम	4000				
31	नारियल बर्फी 250 ग्राम	20000				
32	नारियल बर्फी 500 ग्राम	10000				
33	कोम्बोपेक बॉक्स 500 ग्राम	5000				
34	पनीर पाउच 250 ग्राम	100000				30000=00
35	पनीर पाउच 1 केजी	50000				
36	पनीर पाउच 500 ग्राम	50000				
37	गुलाब जामुन पाउच मिक्स 200 ग्राम	30000			1000	
38	मिल्क पाउच क्रेट	7500			40000=00	
39	प्लास्टिक पेलेट	100			8000=00	
40	हिट सिकेबल फिल्म फार एसएफम बाटल	2000 kg			5000=00	
41	40 माईक्रोन पीवीसी श्रीक स्लीव	1000000			20000	
42	श्रीक स्लीव हेतु सिलेण्डर की दर					
43	एचडीपीई लेमिनेटेड क्राफ्ट पेपर बैग प्रिन्टेड 25 केजी पेक	30,000 Nos			15000.00	
44	एसएमपी लाईनर (25 केजी एसएमपी पैकिंग हेतु)	3000 Kgs.			10000.00	
45	Cardamom: 1. Tartrazine (E 102). 2. Brilliant Blue FCF (E 133).	Approximate 7 MTs for one year in all types			50000=00	
46	Chocolate: 1.Sunset Yellow FCF (E 110). 2.Tartrazine (E 102). 3. Carmoisine (E 122). 4. Brilliant Blue FCF (E 133). 5. Indigo Carmine (E 132).					
47	Rose: Ponceau 4R (E 124).					

48	Paneer pouch 5 kg	20000			2000=00	
----	-------------------	-------	--	--	---------	--

49	सॉची घी खाली टीन 05 लीटर	15000 no			17000.00	
50	सॉची घी खाली टीन 15 केजी	5000 No				
51	टेंकर सील मेटलिक	100000 nos			25000=00	
52	टेंकर प्लास्टिक सील	20000 no			2000 no	
53	पीपी बाटल वीथ केप	1000000 no			100000=00	
54	25 केजी मावा बॉक्स कोरोगेटेड	5000 no			2000 =00	
55	25 केजी पेडा बॉक्स कोरोगेटेड	5000 no			2000=00	
56	वीटामीन ए एण्ड डी लिक्वीड	500 ltr			12000=00	
57	वीटामीन ए एण्ड डी प्रिमिक्स पाउडर	480 kg				

नोट :- जीएसटी एवं रेट पृथक पृथक दशार्वे ।



# उज्जैन सहकारी दुग्ध संघ मर्यादित

## UJJAIN SAHAKARI DUGDH SANGH MARYADIT



Maksi Road P.B. No 106, UJJAIN - 456001, Madhya Pradesh

Phone : (0734) 2527061, 2527068, 2527066 Fax : 0734-2527063

E-mail: [udsmis@yahoo.com](mailto:udsmis@yahoo.com), [purchaseuds@gmail.com](mailto:purchaseuds@gmail.com)

क्रमांक: उ०दु०स० / कय-

दिनांक:

### SCHEDULE – III

(To be downloaded for filling manually and then uploaded )

Dear Sir,

I/We hereby furnish below some particulars about our company/unit which will form a part of our offer submission :

1. Name of the Co./Unit : \_\_\_\_\_
2. Address of the Co./Unit : \_\_\_\_\_  
\_\_\_\_\_
3. Telephone Nos.(with STD Code) : \_\_\_\_\_  
FAX No. : \_\_\_\_\_  
Email ID : \_\_\_\_\_
4. Name of the CEO/Proprietor/ Partner : \_\_\_\_\_
5. Name and designation of other : \_\_\_\_\_  
Authorized signatory of the Co./  
Unit.
6. Particulars of Regn. Certificate : \_\_\_\_\_  
Issued by the competent authority  
(Regn No. & Date)
7. GST NO. \_\_\_\_\_ dated \_\_\_\_\_ MPCT/TIN NO. \_\_\_\_\_ dtd.
8. PAN (copy to be uploaded also)
9. Have your Co./Unit or its sister concern ever been black listed/ debarred by USDSM or its sister Milk Unions or GOI /GOMP & its undertaking ? YES / NO

Seal & Signature of the

Authorised Signatory of the

Co./Unit

**LETTER HEAD OF FIRM**

**FORM – III B**

To,  
Chief Executive Officer,  
Ujjain Sahakari Dugdha  
Sangh Mydt. Maxi Road,  
Ujjain (M.P.)

**Sub : FOOD GRADE CERTIFICATE.**

Dear Sir,

We certify that the rates quoted for various packaging material namely ----- are of food grade quality only and we shall be making supplies to your firm strictly as per food grade quality standards.

Thanking You,

**Yours faithfully,  
Proprietor (Signature & Seal)**

महाप्रबंधक(सं.स.)

उप महाप्रबंधक(क्षे.सं.)

प्रबंधक (गु.नि.)

प्रबंधक (एमआईएस)

प्रभारी (वित्त)

प्रबंधक (कय)

